


## Orderform ParaMotion



| Customer / Invoice Adress |  | Ship To |
|---------------------------|--|---------|
| Name                      |  |         |
| Street                    |  |         |
| City / Postcode           |  |         |
| Phone                     |  |         |
| Email                     |  |         |

### Client Measurements

|                     |  |    |   |
|---------------------|--|----|---|
| Top of Head to Seat |  | cm | a |
| Sitting depth       |  | cm | b |
| Lower leg length    |  | cm | c |
| Seat width          |  | cm | d |
| Body weight         |  | Kg |   |



| Bruto Verkoopprijs excl 9% BTW              |                                                                                                        | Welzorg Shop 2022                                                 |                                                                  |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|------------------------------------------------------------------|
| Base Chair                                  |                                                                                                        |                                                                   | 23.495,00 €                                                      |
| ParaMotion Specifications                   |                                                                                                        |                                                                   |                                                                  |
| Dimensions                                  |                                                                                                        |                                                                   |                                                                  |
| Seat width:                                 | 15,7 - 18, inch (0,8 inch step)                                                                        | Overall height                                                    | 101 cm / 39,76" (in sitting position)                            |
| Seat depth:                                 | 43 - 60 cm ( 3,1 cm / 1,2 "increments)(16.9" - 23,7")                                                  | Overall lenght (when driving forward)/Overall lenght (pack size): | 170 cm / 66,9" / 137,5 cm / 54,1 "                               |
| Seat height:                                | 50 - 68 cm (19,7" - 26,77")                                                                            | Turning radius                                                    | 1900 mm / 74,8"                                                  |
| Seat inclination:                           | 0°                                                                                                     | Tyre size (Drive wheel):<br>Rear (Steering wheel):                | 390 mm (16x7.5-8) / 15,4" - 275 mm (11x6.00-                     |
| Armrest height                              | 15,5 - 24,5cm ( continuous) (6,1" - 9,6")                                                              | Approx. weight                                                    | 210 kg / 419 lbs**                                               |
| Armrest length                              | 28 cm (11")                                                                                            | Max. load:                                                        | 140 kg / 308,65 lbs                                              |
| Leg support length                          | 38 - 44 cm(15" - 17,3")*(2cm / 0,79" increments)                                                       | Weight of the heaviest removable component                        | 2.56 kg / 5,64 lbs (bumper bar)                                  |
| Backrest height                             | 13,4 - 17,6 in (Infinitely adjustable)                                                                 | * Lower leg length can still be reduced with „ Kids"equipment     |                                                                  |
| Backrest angle                              | 1° - 90° ( 18° increments)                                                                             | * * The weights vary according to option selection.               |                                                                  |
| Total width                                 | 90 cm / 35,4" ***                                                                                      | ***Total width can be reduced with the narrow tires option        |                                                                  |
| Electronics                                 |                                                                                                        |                                                                   |                                                                  |
| Operating voltage:                          | 24 V DC                                                                                                | Controller„R-NET" Model:<br>Operating voltage:                    | R-Net PM 120<br>24 V DC                                          |
| Battery:                                    | 2 x gel battery 12V 110Ah                                                                              | Max. time stand-up function (100kg load)                          | 6,5 sec                                                          |
| Fuse:                                       | 135A steam and water proof                                                                             | Spring force Gas spring upstand actuator                          | 1500N                                                            |
| Lighting:                                   | 24 V DC/ 0,5W                                                                                          | Protection Control Panel                                          | IP44                                                             |
| Charger:                                    | 24 V / 10A                                                                                             | Transport and storage temperatur                                  | -15°C to 40°C (5°F - 104                                         |
| DC-Motor/Brake                              |                                                                                                        |                                                                   |                                                                  |
| Voltage                                     | 24V DC                                                                                                 | Protection type                                                   | IP43                                                             |
| Nominal Power                               | 550W                                                                                                   | Brake Voltage                                                     | 24V DC                                                           |
| Nominal Speed                               | 147 +/-Rpm                                                                                             | Nominal Power of the Brake                                        | 18W                                                              |
| Step-down gear                              | 21,4 : 1 (Spur gear)                                                                                   | Braking torque                                                    | 6 NM                                                             |
| Driving Data                                |                                                                                                        |                                                                   |                                                                  |
| max. speed                                  | 10,0 km/h (6,2 mph)                                                                                    | Range (off-road, golf course) **                                  | 40 km / 24,85 miles                                              |
| Maximum safe inclination                    | Climbing ability (sitting position) *: 30% (17°) Lateral tilt stability (sitting position): 17 % (10°) | Braking distance (according to DIN EN 12184:2009)***              | at 10.0 km / h [6.2 mph]: 2100 mm ( horizontal); 4200 mm (slope) |
| Maximum obstacle height                     | 100 mm / 3,94"                                                                                         | Operating temperatur                                              | -15°C to 40°C (5°F - 104 °F)                                     |
| ParaMotion Standard Equipment               |                                                                                                        |                                                                   |                                                                  |
| Automatic seat plate displacement           |                                                                                                        | LED lights front/rear                                             |                                                                  |
| Upholstery -Knee belt, chest belt, lap belt |                                                                                                        | Armrest height adjustable                                         |                                                                  |
| Seat cushion Standard                       |                                                                                                        | Rear- Bumper                                                      |                                                                  |
| Cover white, standard                       |                                                                                                        | Service/Adjustment Tool set                                       |                                                                  |
| Seat suspension                             |                                                                                                        | Charger 10A/ IP67                                                 |                                                                  |
| Drive Wheels 8,5 inch,,All Terrain"         |                                                                                                        |                                                                   |                                                                  |

|                                                                                                                                                                                            |              |            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------|
| <b>Equipment "Kids"</b>                                                                                                                                                                    | Z0506-PBT-VS | 1.517,04 € |
| Equipment "Kids" contains children's footrest adjustable, side padding (1,98 in/ 3,15 in), knee belt small, chest belt small, small seat cushion (1,2 in), back padding (1,2 in / 3,15 in) |              |            |

|                            |              |          |
|----------------------------|--------------|----------|
| <b>Color - Cover</b>       |              |          |
| Standard wite              | Z0677-PBT-QK | 0,00 €   |
| All one color RAL painting | Z0654-PBT-AC | 343,75 € |
| Individual RAL painting    | Z0653-PBT-AC | 498,75 € |
| Foiling of desired design  | Z0652-PBT-AC | 662,38 € |

|                                            |              |             |
|--------------------------------------------|--------------|-------------|
| <b>Control panel</b>                       |              |             |
| Control panel straight with Joystick CJS   | Z0727-PBT-VS | 0,00 €      |
| Control panel swiveling with Joystick CJS2 | Z0726-PBT-VS | 533,75 €    |
| Left mount                                 |              | Right mount |

|                                            |              |         |
|--------------------------------------------|--------------|---------|
| <b>Wheel Cover/ Hubs</b>                   |              |         |
| Wheel Cover frontwheel typ 1, Chrom PE r   | Z0504-PBT-VS | 62,38 € |
| Wheel Cover frontwheel typ 2, Chrom PE r   | Z0505-PBT-VS | 62,38 € |
| Wheel Cover frontwheel typ 3, Steel, black | Z0503-PBT-VS | 57,64 € |

|                                                |                    |                      |
|------------------------------------------------|--------------------|----------------------|
| <b>Accessoires</b>                             |                    |                      |
| Golfbagholder complete system, mountable L & R | Z0730-PBT-VS       | 712,50 €             |
| Handle/grip „Ball“ oposite to contol panel     | Z0862-PBT-VS       | 210,94 €             |
| Storagebox with Klick Fix system               | Z0504-PBT-AC       | 186,25 €             |
| Transport cover,padded                         | RED (Z0698-PBT-MC) | BLACK (Z0699-PBT-MC) |
| Set of 3 x Aluminum Ramps                      | 491P54=PB001       | 468,75 €             |
| Drive Wheel „Indoor“ (total width 706mm)       | 521-PBT-IF         | 188,88 €             |
| USB charging socket,I/O,12V                    | Z0861-PBT-AM       | 98,75 €              |
| Gallaway Chev-Org Cart Bag -PBT                | 491P54=PB700       | 218,74 €             |

|             |  |
|-------------|--|
| base price  |  |
| extras      |  |
| Total price |  |

|                                                               |  |
|---------------------------------------------------------------|--|
| Standard delivery with forwarder                              |  |
| Personal delivery with instruction and drive training on site |  |

- > delivery time : at request
- > Terms of payment by agreement
- > Valid from 01/2022



\_\_\_\_\_  
Date / Signature Buyer